Nicole ☺

Oblique Asymptotes

04.20.18

*Degree on top is greater than the degree of the bottom by exactly 1.

Ex 1:

$f(x) = \frac{3x^2-2x+1}{x}$ } Let's think division

Long Division

$$x+0 \;\overline{)\; 3x^2-2x+1}$$ ← Dividend

Quotient: $3x-2$

Divisor: $x+0$

$-(3x^2-0x)$ ↓

$-2x+1$

$-(-2x+0)$

1 remainder

Division Statement

$3x^2-2x+1 = (x)(3x-2)+1$

$\div(x)$

$\frac{3x^2-2x+1}{x} = (3x-2) + \frac{1}{x}$

$\frac{3x^2-2x+1}{x}$ → Rational Function

$(3x-2) + \frac{1}{x}$ → equivalent to my rational function

as x gets larger and larger, $\frac{1}{x}$ gets smaller and smaller

as $x \to \infty, \frac{1}{x} \to 0$

Conclusion:

Our function approaches $(3x-2)$ as x approaches infinity

$\therefore$ as $x \to \infty, f(x) \to 3x-2$

$\therefore$ Equation of oblique asymptote is $\boxed{y = 3x-2}$ ← the quotient

Ex 2:

$f(x) = \frac{6x^2+x}{2x+1}$

Long Division

$$2x+1 \;\overline{)\; 6x^2+x+0}$$

Quotient: $3x-1$

$6x^2+3x$ ↓

$-2x+0$

To find the oblique asymptote, we need to find the QUOTIENT

$\therefore$ Equation of oblique Asymptote is $\boxed{y = 3x-1}$

Ex 3:

$f(x) = \frac{2x^3+3x^2+5x+8}{x^2+2}$

$$x^2+0x+2 \;\overline{)\; 2x^3+3x^2+5x+8}$$

Quotient: $2x+3$

$2x^3+0x+4x$ ↓

$3x^2+1x+8$

$-(3x^2+0x+6)$

$1x+2$ Remainder

$\therefore$ Equation of oblique Asymptote is $\boxed{y = 2x+3}$